



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Organization of:

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia

*and hereby declares that the Organization is accredited in accordance with
the recognized International Standard:*

ISO/IEC 17025:2017

Whereby, technical competence has been confirmed for the associated scope supplement, in the fields of:

Electrical Testing
(As detailed in the supplement)

Accreditation claims for conformity assessment activities shall only be made from the addresses referenced within this certificate and shall apply solely to those activities identified in the related scope. This Accreditation is granted subject to the Accreditation Body rules governing the Accreditation referred to above, and the Organization hereby commits to observing and complying with those rules in their entirety.

For PJLA:

Tracy Szerszen
President

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:

April 20, 2020

Issue Date:

July 01, 2026

Expiration Date:

September 30, 2028

Accreditation No.:

107874

Certificate No.:

L26-603

*The validity of this certificate is maintained through ongoing assessments based
on a continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjlabs.com*



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	EN55011 (2018) +A1(2019) +A11(2020) +A11(2021)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz to 1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	EN IEC 55015 (2019)+A11(2020)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	EN IEC 55014-1 (2021)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	CEI EN 55014-2 (2021)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	EN55032 (2015) +EC(2018) +A11(2020)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	EN 61326-1 (2021)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	EN IEC 61439-1 (2021)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	EN IEC 60730-1 (2016) +A1(2020)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	EN 60601-1-2 (2018)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	IEC EN 61000-6-3(2007)+A1(2012) +A1(2013)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level, Electromagnetic Compatibility Test	IEC EN 61000-6-4 (2020)	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz-1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity Test (Summary Standard)	EN55014-2 (2021)	ESD Generator 8 kV to 15 kV	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity Test (Summary Standard)	EN IEC 61547 (2023)	ESD Generator 8 kV to 15 kV Burst Generator 4 kV Surge Generator 4 kV H Field Generator 30 A/m Dips and Variations RF Radiated Immunity RF Conducted Immunity	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity Test (Summary Standard)	EN55035 (2021)	ESD Generator 8 kV to 15 kV Burst Generator 4 kV Surge Generator 4 kV H Field Generator 30 A/m Dips and Variations RF Radiated Immunity RF Conducted Immunity	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity Test (Summary Standard)	IEC EN 61000-6-1(2019)	ESD Generator 8 kV to 15 kV Burst Generator 4 kV Surge Generator 4 kV H Field Generator 30 A/m Dips and Variations RF Radiated Immunity RF Conducted Immunity	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity Test (Summary Standard)	IEC EN 61000-6-2(2019)	ESD Generator 8 kV to 15 kV Burst Generator 4 kV Surge Generator 4 kV H Field Generator 30 A/m Dips and Variations RF Radiated Immunity RF Conducted Immunity	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	Electric Safety Test: Earth Conductor	EN60204-1 (2018) +EC(2019)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Insulation	EN60335-1 (2012) +EC (2014) +A/11 (2015) +A/13 (2018) +A/13 (2019) +A/1,A2,A14 (2019) +A/1,A2,A14 (2021) +A16 (2023)	Earth Measurement Instrument 10 A-25 A Insulation Measurement Instrument 500 V-1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Dielectric Strength	IEC EN62368-1 (2024)	Earth Measurement Instrument 10 A-25 A Insulation Measurement Instrument 500 V-1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level	IEC EN 61000-3-2 (2019)	Harmonics Measurements Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Radiofrequency Emitted Level in Time	EN 61000-3-3 (2014) +EC (2014) +EC (2016) +A1 (2020) +A1 (2021)	Flickers Measurements Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity to Electrostatic Discharge	EN 61000-4-2 (2011)	ESD Generator 8 kV-15 kV	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity to Irradiated Radiofrequency Field	IEC EN 61000-4-3(2020)	RF Radiated Immunity	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity to Bursts (Fast Impulse)	EN 61000-4-4 (2013)	Burst Generator 4 kV	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	Immunity to Surge (High Power Impulse)	EN 61000-4-5 (2014) +A/1 (2018) +A/1 (2020)	Surge Generator 4 kV	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity to Conducted Radiofrequency	EN 61000-4-6 (2014)	RF Conducted Immunity	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity to Magnetic Fields	EN 61000-4-8 (2013)	H Field Generator 30 A/m	F1	F, O
Electrical	Electrical and Electronic Equipment	Immunity to Tension Interruptions and Variations	IEC EN 61000-4-11 (2020)	Dips and Variations	F1	F, O
Electrical	Electrical and Electronic Equipment	Equipment for General Lighting Purposes - EMC Immunity Requirements	IEC EN 61547(2023)	ESD Generator 8 kV-15 kV Burst Generator 4 kV Surge Generator 4 kV H Field Generator 30 A/m Dips and Variations RF Radiated Immunity RF Conducted Immunity	F1	F, O
Electrical	Electrical and Electronic Equipment	Radio Frequency	ETSI EN 301 489-1	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz -1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Level Emitted	ETSI EN 301 489-2	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz to 1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Radio Frequency	ETSI EN 301 489-3	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz to 1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Level Emitted	ETSI EN 301 489-4	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz to 1 GHz	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	Radio Frequency	ETSI EN 300 220-2	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz to 1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Level Emitted	ETSI EN 300 440-2	LISN 16 A to 32 A Current with Range 9 kHz to 30 MHz, Limiter, Antenna 30 MHz to 1 GHz	F1	F, O
Electrical	Electrical and Electronic Equipment	Lamp Control gear - Part 1: General and Safety Requirements	EN 61347-1 (2015)+A1(2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	LED Modules for General Lighting. Safety Specifications	EN IEC 62031(2020)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Uninterruptible Power Systems (UPS) - Part 1: Safety Requirements	EN IEC 62040-1(2019)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Uninterruptible Power Systems (UPS) - Part 2: Electromagnetic Compatibility (EMC) Requirement	EN IEC 62040-2(2018)	Emission and Immunity EMC Test	F1	F, O
Electrical	Electrical and Electronic Equipment	Uninterruptible Power Systems (UPS) - Part 3: Method of Specifying the Performance and Test Requirements	EN IEC 62040-3 (2021)	Verified for Emission and Immunity EMC Test, and Electrical Safety Test	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use - Part 1: General Requirements. Articles 4,5,6,7,8	CEI EN 61010-1 (2010)+A1(2019)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Safety of Laser Products - Part 1: Equipment Classification and Requirements	EN 60825-1(2014)+EC(2017)+EC(2017)+Ab(2019)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance Articles: 1,2,3,4,5,6,2,6,3,6,6,7,8,9,11.1,1,1,2,11.3,11.6,11.8,12.1,12.2,12.3,12.4,13,14,15,16	EN 60601-1 (2006)+EC(201)+A1 1(2021)+EC(02/2014)+EC(07/2014)+A1(2014)	Medical Electrical Equipment - Part 1: General Requirements for Basic Safety and Essential Performance Articles: 1,2,3,4,5,6,2,6,3,6,6,7,8,9,11.1,11.2,11.3,11.6,11.8,12.1,12.2,12.3,12.4,13,14,15,16	F1	F, O
Electrical	Electrical and Electronic Equipment	Medical Electrical Equipment - Part 2-5: Particular Requirements for the Safety of Ultrasonic Physiotherapy Equipment	EN 60601-2-5 (2015)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Medical Electrical Equipment - Part 2-10: Particular Requirements for the Basic Safety and Essential Performance of Nerve and Muscle Stimulators	EN 60601-2-10 (2015)+A1(09/20217)+A1(10/2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	Medical Electrical Equipment - Part 2-22: Particular Requirements for Basic Safety and Essential Performance of Surgical, Cosmetic, Therapeutic and Diagnostic Laser Equipment	EN IEC 60601-2-22 (2020)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	Medical Electrical Equipment - Part 2-66: Particular Requirements for the Basic Safety and Essential Performance of Hearing Aids and Hearing aid Systems	EN IEC 60601-2-66 (2020)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-69: Particular Requirements for Wet and Dry Vacuum Cleaners, Including Power Brush, for Commercial Use Excluded Articles: 11,15,17,20,21,28,30,31,32	EN 60335-2-69(2022)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-72: Particular Requirements for Floor Treatment Machines with or Without Traction Drive for Commercial Use Excluded Articles: 11,15,17,20,21,28,30,31,32	EN 60335-2-72(2023)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-67: Particular Requirements for Floor Treatment Machines for Commercial Use Excluded Articles: 11,15,17,20,21,28,30,31,32	EN 60335-2-67(2022)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-68: Particular Requirements for Spray Extraction Machines for Commercial Use Excluded Articles: 11,15,17,20,21,28,30,31,32	EN 60335-2-68(2023)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-15: Particular Requirements for Appliances for Heating Liquids Excluded Articles: 11,15,18,20,28,30,31,32	EN 60335-2-15(2016)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-43: Particular Clothes Dryers and Towel Rails Excluded Articles: 11,15,18,28,30,31,32	EN IEC 60335-2-43 (2020)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety -- Part 2-3: Particular Requirements for Electric Irons Excluded Articles: 11,15,18,28,30,31,32	EN 60335-2-3 (2016)+A1(2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-32: Particular Requirements for Massage Appliances Excluded Articles: 11,15,18,28,30,31,32	EN 60335-2-32(2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-65: Particular Requirements for Air-Cleaning Appliances Excluded Articles: 11,15,18,28,30,31,32	EN 60335-2-65 (2003)+A1(2020)+A1(2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-85: Particular Requirements for Fabric Steamers Excluded Articles: 11,15,18,28,30,31,32	EN 60335-2-85 (2022)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety -- Part 2-10: Particular Requirements for Floor Treatment Machines and Wet Scrubbing Machines Excluded Articles: 11,15,17,20,21,28,30,31,32	EN 60335-2-10 (2003)+A1(2009)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety -- Part 2-29: Particular Requirements for Battery Chargers Excluded Articles: 11,15,18,28,30,31,32	EN 60335-2-29 (2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-54: Particular Requirements for Surface-Cleaning Appliances for House Hold Use Employing Liquids or Steam Excluded Articles: 11,15,18,20,21,27,28,30,31, 32	EN 60335-2-54 (2022)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety -- Part 2-2: Particular Requirements for Vacuum Cleaners and Water-Suction Cleaning Appliances Excluded Articles: 11,15,18,20,21,28,30,31,32	EN 60335-2-2 (2025)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-17: Particular Requirements for Blankets, Pads, Clothing and Similar Flexible Heating Appliances Excluded Articles: 11,15,17,18,20,21,28,30,31, 32	EN 60335-2-17 (2013)+A11(2020)+A1(2020)+A11(2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-79: Particular Requirements for High Pressure Cleaners and Steam Cleaners Excluded Articles: 11,15,17,18,20,21, 28,30,31,32	EN 60335-2-79(2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety -- Part 2-44: Particular Requirements for Ironers Excluded Articles: 11,15,18,20,21,27,28,30,31, 32	EN 60335-2-44 (2003)+A1(2009)+A 2(2012)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety -- Part 2-23: Particular Requirements for Appliances for Skin or Hair Care Excluded Articles: 11,15,18,20,21,28,30,31,32	EN 60335-2-23 (2003)+A1(2009)+A 11(2011)+A11/EC(2 012)+A2(2016)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety -- Part 2-75: Particular Requirements for Commercial Dispensing Appliances and Vending Machines Excluded Articles: 11,15,18,20,21,28,30,31,32	EN 60335-2-75 (2023)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-41: Particular Requirements for Pumps Excluded Articles: 11,15,18,20,21,28,30,31,32	EN 60335-2-41(2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-105: Particular Requirements for Multifunctional Shower Cabinets Excluded Articles: 11,15,18,20,21,28,30,31,32	EN 60335-2-105 (2021)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-27: Particular Requirements for Appliances for Skin Exposure to Ultraviolet and Infrared Radiation Excluded Articles: 11,15,18,20,21,28,30,31,32	<u>EN 60335-2-27</u> (2013)+A1/A2(2020)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O
Electrical	Electrical and Electronic Equipment	House Hold and Similar Electrical Appliances - Safety - Part 2-60: Particular Requirements for Whirlpool Baths and Whirlpool Spas Excluded Articles: 11,15,18,20,21,28,30,31,32	<u>EN 60335-2-60</u> (2025)	Earth Measurement Instrument 10 A to 25 A Insulation Measurement Instrument 500 V to 1 000 V Dielectric Strength Measurement Instrument Leakage Current Measurement Instrument	F1	F, O



Certificate of Accreditation: Supplement

Manteck S.r.l.

Via XX Settembre 34, 27036 Mortara (PV) Italia
Contact Name: Fabrizio Rossi Phone: 328-917-6821

Accreditation is granted to the facility to perform the following conformity assessment activities:

1. Location of activity:

Location

- | | |
|---|--|
| F | Conformity assessment activity is performed at the CABs fixed facility |
| O | Conformity assessment activity is performed onsite at the CABs customer location |

Location

2. Flex Code:

- F0- Fixed scope item. No deviations allowed to the line item as identified, except for updating to the most recent version of an accredited standard method after verification.
- F1- Laboratory has the capability to test a new item, material, matrix, or product similar in composition to item, material, matrix, or product identified on the scope
- F2- Laboratory has the capability to introduce the newest revision of an accredited authoritative standard method (with no modifications) identified on the scope
- F3- Laboratory has the capability to introduce a parameter/component/analyte to an accredited test method identified on the scope
- F4- Laboratory has the capability to introduce a new revision of an accredited non-standard method using the same technology or technique identified on the scope
- F5- Laboratory has the capability to introduce a validated method that is equivalent to an accredited method (using same technology or technique) identified on the scope

